

Component List

(Senarai Komponen)

Bakery Mixer (Penggaul)



BJY-BM5-B

BJY-BM5N-B




BJY-BM7-B

BJY-BM7N-B

Made in Malaysia
(Buatan Malaysia)

Thank you for purchasing BERJAYA product. Please read this service manual carefully before operating the product. Please keep this manual in a safe place for future reference.
(Terima kasih kerana membeli produk BERJAYA. Sila baca manual penyelenggaraan dengan teliti sebelum menggunakan produk ini. Simpankan panduan operasi ini dengan selamat untuk rujukan masa depan.)

EXPLOSIVE DRAWING (GAMBARAJAH TERPERINCI) - BJY-BM5-B & BJY-BM5N-B



No 9 : Axle position 1
(15mm)




No 9 : Axle position 2
(20mm)

COMPONENTS LIST (SENARAI KOMPONEN) - BJJ-BM5-B & BJJ-BM5N-B

No	Description (Butir-Butir)		BJY-BM5-B	BJY-BM5N-B
1	Toothed Belt (Tali Bergigi) - 10mm		IC-BM-TB	IC-BM-TB
	Toothed Belt (Tali Bergigi) - 15mm - New		IC-BM-TB-N	IC-BM-TB-N
2	Motor - 50Hz / 60Hz, 0.3Kw (Motor - 50Hz / 60Hz, 0.3Kw)		IC-BM-MT0.3	IC-BM-MT0.3
3a	Base Stud (Kaki Tapak)		IC-BM-BS	IC-BM-BS
3b	Base Stud - New (Kaki Tapak - Baru)		IC-BM-BS-N	IC-BM-BS-N
4	Speed Regulator - New (Pengawal Laju - Baru)		IC-BM-SR-N	IC-BM-SR-N
5	Pilot Lamp (Lampu Pilot)		IC-BM-PL	IC-BM-PL
6	Circuit Plate (Kepingan Litar)		IC-BM-CP	IC-BM-CP
7	Dough Hook - 210mm (Pengacau Takuk - 210mm)		IC-BM-5WH	IC-BM-5WH
8	Flat Beater - 210mm (Pengacau Raket - 210mm)		IC-BM-5L-B	IC-BM-5L-B
9	Wire Whisk - 210mm (Pengacau Berjaring - 210mm)	Axle Position 1 (15mm)	IC-BM-W5L-B	IC-BM-W5L-B
	Wire Whisk - 210mm (Pengacau Berjaring - 210mm)	Axle Position 2 (20mm)	IC-BM-W5L-B-N	IC-BM-W5L-B-N
10	Oil Seal - 12 x 25 x 10HG / T2811 (Lakri - 12 x 25 x 10HG / T2811)		IC-BM-57-OS	IC-BM-57-OS
11	Centre Axle (Axle Tengah)		IC-BM-5CEN-A	IC-BM-5CEN-A
12	Planet Gear (Gear Planet)		IC-BM-5PG	IC-BM-5PG
13	Inner Gear (Gear Dalaman)		IC-BM-5IG	IC-BM-5IG
14	Mixing Axle (Axle Percampuran)		IC-BM-5MA	IC-BM-5MA
15	Main Axle Cover (Axle Penutup Utama)		IC-BM-5MAC	IC-BM-5MAC
16	Oil Seal - 12 x 25 x 7HG / T2811 (Lakri - 12 x 25 x 7HG / T2811)		IC-BM-5MA-OS	IC-BM-5MA-OS
17	Carbon Brush (Berus Karbon)		IC-BM-CB	IC-BM-CB
18	Netting Limit Switch (Suis Menghad Jaringan)		IC-BM-N-LS	IC-BM-N-LS
19	Driving Gear (Gear Berpusing)		IC-BM-5DG	IC-BM-5DG
20	Large Gear (Gear Besar)		IC-BM-5LG	IC-BM-5LG
21	Transfer Gear (Gear Transfer)		IC-BM-5TG	IC-BM-5TG
22	Top Cover - New (Penutup Atas - Baru)		IC-BM-5TC-N	IC-BM-5TC-N
23	Large Belt Wheel (Roda Tali Besar)		IC-BM-LBW	IC-BM-LBW
24	Oil Cup (Cawan Minyak)		IC-BM5-608B	IC-BM5-608B
25	Axle Of Belt Wheel (Axle Roda Tali)		IC-BM-5A	IC-BM-5A
26	Oil Bearing (Bearing Minyak)		IC-BM-COB	IC-BM-COB
27	Overturn Seat (Tempat Untuk Belok)		IC-BM-5SPR	IC-BM-5SPR
28	Handle (Pemegang)		IC-BM-5HL	IC-BM-5HL
29	Electronic Box (Kotak Elektronik)		IC-BM-5EB	IC-BM-5EB
30	Rubber Mat (Tikar Getah)		IC-BM-RM	IC-BM-RM
31	Mixing Bowl with Handle		IC-BM-B5L-H	IC-BM-B5L-H
32	Copper Sleeve (Lengan Percampuran)		IC-BM-5CS	IC-BM-5CS
33	Adorning Cover (Gelang Penutup)		IC-BM-5AC	IC-BM-5AC
34	Plastic Bowl Cover - (Penutup Plastik)		-	IC-BM-5PC
35	Small Belt Wheel (Roda Tali Kecil)		IC-BM-5SBW	IC-BM-5SBW
36	Pin (Jarum)		IC-BM-5P	IC-BM-5P
37	Connecting Axle (Penyambung Axle)- Axle Position - Top		IC-BM-5CA	IC-BM-5CA
	Connecting Axle (Penyambung Axle)- Axle Position - Middle - New		IC-BM-5CA-N	IC-BM-5CA-N
38	Bearing (Bearing)		IC-BM-B	IC-BM-B
39	Small Spring (Spring Kecil)		IC-BM-57-SPR	IC-BM-57-SPR
40	Spring (Spring)		IC-BM-5SPR	IC-BM-5SPR

EXPLOSIVE DRAWING (GAMBARAJAH TERPERINCI) - BJY-BM7-B & BJY-BM7N-B



No 9a : Axle position 1
(15mm)



No 9a : Axle position 2
(20mm)

COMPONENTS LIST (SENARAI KOMPONEN) - BJJ-BM7-B & BJJ-BM7N-B

No	Description (Butir-Butir)	BJY-BM7-B	BJY-BM7N-B
1	Toothed Belt (Tali Bergigi) - 10mm	IC-BM-TB	IC-BM-TB
	Toothed Belt (Tali Bergigi) - 15mm - New	IC-BM-TB-N	IC-BM-TB-N
2	Motor - 50Hz / 60Hz, 0.325Kw (Motor - 50Hz / 60Hz, 0.325Kw)	IC-BM-MT0.325	IC-BM-MT0.325
3a	Base Stud (Kaki Tapak)	IC-BM-BS	IC-BM-BS
3b	Base Stud - New (Kaki Tapak - Baru)	IC-BM-BS-N	IC-BM-BS-N
4	Speed Regulator - New (Pengawal Laju - Baru)	IC-BM-SR-N	IC-BM-SR-N
5	Pilot Lamp (Lampu Pilot)	IC-BM-PL	IC-BM-PL
6	Circuit Plate (Kepingan Litar)	IC-BM-CP	IC-BM-CP
7	Dough Hook - 230mm (Pengacau Takuk - 230mm)	Old IC-BM-7WH	IC-BM-7WH
		New IC-BM-7WH-1	IC-BM-7WH-1
8	Flat Beater - 230mm (Pengacau Raket - 230mm)	IC-BM-7L-B	IC-BM-7L-B
9a	Wire Whisk -230mm (Pengacau Berjaring - 230mm)- Axle position 1 (15mm)	IC-BM-W7L-B	IC-BM-W7L-B
	Wire Whisk -230mm (Pengacau Berjaring - 230mm)- Axle position 2 (20mm)	IC-BM-W7L-B-N	IC-BM-W7L-B-N
9b	Wire Whisk -230mm (Pengacau Berjaring - 230mm)- Axle position 1 (15mm) - Old Part	IC-BM-W7L	IC-BM-W7L
10	Oil Seal - 12 x 25 x 10HG / T2811 (Lakri - 12 x 25 x 10HG / T2811)	IC-BM-57-OS	IC-BM-57-OS
11	Centre Axle (Axle Tengah) - Short	IC-BM-7CEN-A	IC-BM-7CEN-A
	Centre Axle (Axle Tengah) - Long	IC-BM-7CEN-A-N	IC-BM-7CEN-A-N
12	Planet Gear (Gear Planet) - D = 106mm , H = 10mm	IC-BM-7PG	IC-BM-7PG
	Planet Gear (Gear Planet) - D = 110mm , H = 13mm	IC-BM-7PG-N	IC-BM-7PG-N
13	Inner Gear (Gear Dalaman) - D = 29.7mm , H = 10mm	IC-BM-7IG	IC-BM-7IG
	Inner Gear (Gear Dalaman) - D = 29.7mm , H = 13mm	IC-BM-7IG-N	IC-BM-7IG-N
14	Mixing Axle (Axle Percampuran) - Middle	IC-BM-7MA	IC-BM-7MA
	Mixing Axle (Axle Percampuran) - Top	IC-BM-7MA-N	IC-BM-7MA-N
15	Main Axle Cover (Axle Penutup Utama)	IC-BM-7MAC	IC-BM-7MAC
	Main Axle Cover (Axle Penutup Utama)-Big hole	IC-BM-7MAC-B	IC-BM-7MAC-B
16	Oil Seal - 12 x 25 x 7HG / T2811 (Lakri - 12 x 25 x 7HG / T2811)	IC-BM-7MA-OS	IC-BM-7MA-OS
17	Carbon Brush (Berus Karbon)	IC-BM-CB	IC-BM-CB
18	Netting Limit Switch (Suis Menghad Jaringan)	IC-BM-N-LS	IC-BM-N-LS
19	Driving Gear (Gear Berpusing)	IC-BM-7DG	IC-BM-7DG
20	Large Gear (Gear Besar) ID = 12mm	IC-BM-7LG	IC-BM-7LG
	Large Gear (Gear Besar) ID = 14mm	IC-BM-7LG-N	IC-BM-7LG-N
21	Transfer Gear (Gear Transfer)	IC-BM-7TG	IC-BM-7TG
22	Top Cover - New (Penutup Atas - Baru)	IC-BM-7TC-N	IC-BM-7TC-N
23	Large Belt Wheel (Roda Tali Besar) - 10mm	IC-BM-7LBW	IC-BM-7LBW
	Large Belt Wheel (Roda Tali Besar) - 14mm - New	IC-BM-7LBW-N	IC-BM-7LBW-N
24	Axle Of Belt Wheel (Axle Roda Tali)	IC-BM-7A	IC-BM-7A
25	Oil Bearing (Bearing Minyak)	IC-BM-COB	IC-BM-COB
26	Overturn Seat (Tempat Untuk Belok)	IC-BM-7OTS	IC-BM-7OTS
27	Handle (Pemegang)	IC-BM-7HL	IC-BM-7HL
28	Electronic Box (Kotak Elektronik)	IC-BM-7EB	IC-BM-7EB
29	Rubber Mat (Tikar Getah)	IC-BM-RM	IC-BM-RM
30	Mixing Bowl with Handle	IC-BM-B7L-H	IC-BM-B7L-H
31	Copper Sleeve (Lengan Kuprum)	IC-BM-7CS	IC-BM-7CS
32	Adorning Cover (Gelang Penutup)	IC-BM-7AC	IC-BM-7AC
33	Plastic Cover - (Penutup Plastik)	-	IC-BM-7PC
34	Bearing (Bearing)	IC-BM-B	IC-BM-B
35	Small Belt Wheel (Roda Tali Kecil) - 15mm	IC-BM-7SBW	IC-BM-7SBW
	Small Belt Wheel (Roda Tali Kecil) - 20mm	IC-BM-7SBW-N	IC-BM-7SBW-N
36	Pin (Jarum)	IC-BM-7P	IC-BM-7P
37	Connecting Axle (Axle Penyambung) - Axle position - Top	IC-BM-7CA	IC-BM-7CA
	Connecting Axle (Axle Penyambung) - Axle position - Middle - New	IC-BM-7CA-N	IC-BM-7CA-N
38	Orientation Pin (Kedudukan Jarum)	IC-BM-7OP	IC-BM-7OP
39	Small Spring (Spring Kecil)	IC-BM-57-SPR	IC-BM-57-SPR
40	Spring (Spring)	IC-BM-7SPR	IC-BM-7SPR

MEMO (MEMO)

Please fill in the following at the purchasing time for future service reference.
(Sila isikan jadual yang berikut untuk rujukan perkhidmatan lepas jualan.)

Model Number (Nombor Model) :	
Purchasing Date (Tarikh Pembelian) :	
Dealer's Name (Nama Pengedar) :	
Address (Alamat) :	
Contact Number (Nombor Telefon) :	Home (Rumah) : Handphone (Telefon Bimbit) :
Comment (Komen) :	

The manufacturer reserves the right to change in design, equipment and technical features at any time. Accordingly, no claims based on data, illustration or descriptions in this operation manual will be admitted. English version is to be referred for any ambiguity.

(Pengilang berhak untuk membuat perubahan pada reka bentuk, peralatan dan ciri teknikal pada bila-bila masa. Oleh itu, sebarang tuntutan berdasarkan data, ilustrasi atau penerangan dalam manual operasi ini tidak akan diterima. Versi Bahasa Inggeris hendaklah dirujuk sekiranya terdapat sebarang kekeliruan.)

This operation manual is for usage guideline. The technical data details and usage instructions are given with our best knowledge of product and with good faith. It should not bind the sales agent or manufacturer to attendance in court or to appear in any enquiry before any government or statutory bodies.

(Manual operasi ini adalah untuk panduan penggunaan. Butiran data teknikal dan arahan penggunaan diberikan berdasarkan pengetahuan terbaik kami mengenai produk dan dengan niat yang baik. Ia tidak seharusnya mengikat ejen jualan atau pengilang untuk hadir di mahkamah atau untuk tampil dalam sebarang siasatan di hadapan mana-mana badan kerajaan atau berkanun.)